

2015



Donatella Arpaia

PROFESSIONAL SERIES | RETAIL PRICE BOOK

MOM FRIENDLY.

Professional chefs take pride in the sense of style a kitchen conveys. They also appreciate the innovative and thoughtful conveniences that help make cooking a pleasure. Lynx Professional Grills distinguish your home's outdoor kitchen with their luxurious appearance and superior construction. While their advanced, mom-friendly features simplify the preparation of memorable meals.

Building on a heritage of equipping high-end commercial kitchens, Lynx Professional Grills have seamless, welded exteriors that are easier to keep clean. The Lynx hood assist technology makes lifting and lowering the hood effortless and safe. As well as conveniences such as halogen lighting that covers the entire grilling surface, and control knobs brilliantly lit by blue LEDs. Ensuring that your investment in outdoor entertaining will prove rewarding for years to come.



DAD READY.

Serious outdoor chefs expect more from a high-performance grill than just impressive heat output. The ability to control heat so you can cook with finesse matters too. So do the many other details that help achieve great results. Lynx Professional Grills are built to live up to the most demanding expectations.

You'll find lifetime warrantied cast-brass burners based on the designs used in commercial restaurants. Ceramic radiant briquettes that evenly distribute heat. And ProSear2™ infrared technology with unique instantaneous temperature adjustment raises from simmer to sear with its 23,000 BTU per burner. And their corrosion-resistant, 16-gauge 304 stainless steel alloys withstand long-term exposure to the elements. So whenever you're ready to dine outdoors, a Lynx Professional Grill is ready for you.



MEET DONATELLA ARPAIA NEW YORK, NY IRON CHEF JUDGE AND RESTAURATEUR

"My Lynx outdoor kitchen is beautiful, powerful and uses the latest technology. The grill cooks more evenly than any other grill and the made in America craftsmanship made it the only choice for me. There isn't anything I can't cook outside that I can inside. Our outdoor kitchen has become the heart of our home. It is perfect for entertaining and enjoying the beauty of the lake."



TABLE OF CONTENTS



Restaurateur and TV personality Donatella Arpaia is an expert on the art of grilling and an enthusiastic fan of Lynx Professional Grills..

The outdoors is our home. It's also our speciality - we're experts at it.

And while the world's greatest grill will always be our flagship, we've applied the Lynx philosophy and outstanding workmanship to the whole collection of outdoor products and accessories, from refrigerators to warming drawers.

Lynx's complete line of outdoor kitchen products combines advanced proprietary technologies and refined features that you can use to design your own outdoor cooking center.

Lynx is committed to providing the best customer experience and product service possible. We have a dedicated team of highly trained professionals to answer your needs Monday through Saturday during regular business hours.

For technical questions or service please e-mail: service@lynxgrills.com
or call: 888.289.5969


MOM FRIENDLY. DAD READY.	2, 3
LYNX ALL TRIDENT GRILLS—OUR BEST HEAT PROFILE EVER	5
FEATURES AND BENEFITS	7
TECHNOLOGY AND QUALITY HIGHLIGHTS	8, 9, 10, 11, 12
54" PROFESSIONAL GRILL	13
42" PROFESSIONAL GRILL	14
36" PROFESSIONAL GRILL	15
30" PROFESSIONAL GRILL	16
27" PROFESSIONAL GRILL	17
30" ASADO GRILL	18
NAPOLI PIZZA OVEN	19
PROFESSIONAL SIDE BURNERS & POWER BURNER	20
SINKS / FAUCET / COCKTAIL PRO STATIONS	21
REFRIGERATORS / BEVERAGE DISPENSER / COOLER	22
REFRIGERATOR / ICE MACHINE / WARMING DRAWERS	23
SEALED PANTRY / UTILITY DRAWERS	24
STORAGE SYSTEM / ACCESS DOORS	25
TRASH CENTERS AND TRASH CHUTE	26
INFRARED PATIO HEATERS	27
ACCESSORIES	28
ACCESSORIES / OUTDOOR VENT HOODS	29
GRILL COVERS	30
OUTDOOR KITCHEN DESIGN SERVICE	31
SPECIFICATIONS & INSTALLATION	32, 33
WARRANTY	34
HOW TO OBTAIN SERVICE FROM LYNX	34
ONLINE SERVICES	35



LYNX ALL TRIDENT GRILLS – OUR BEST HEAT PROFILE EVER FROM SIMMER TO SEAR

These Lynx All Trident Grills feature exclusive patented Trident ProSear2™ technology for the most chef-friendly temperature control yet. They also deliver up to 69,000 BTUs—for grilling power that’s ready for anything. Lynx All Trident Grills replace conventional briquette trays, instead using ceramic infrared burners controlled by special valves. This lets them preheat in

about five minutes. And while all other searing systems are either off or on, the Trident ProSear2 is fully variable, responding with unprecedented speed and precision to a twist of the control knob, varying surface temperature from **300°F to 1,000°F**. Both three-burner All Trident Grills (L36 and L42) offer three distinct temperature zones; the L30 All Trident offers two zones.



COOKING SURFACE

42" GRILL

- 1,200-square-inch cooking surface (855 primary / 345 secondary)

36" GRILL

- 935-sq.-in. cooking surface (640 primary, 295 secondary)

30" GRILL

- 840-square-inch cooking surface (600 primary / 240 secondary)

ALL TRIDENT FEATURES

- Up to three Trident ProSear2™ Burners (total 69,000 BTUs)
- Hot surface ignition system
- Quick heat lets you start cooking faster
- Reduces flare-ups by 2/3
- Unparalleled range of temp control
- High searing temps
- Low holding temps
- Quick response to adjustment knob
- Distinct controllable temperature zones
- Lifetime Burner Warranty

MODEL	DESCRIPTION	UMRP	MSRP
L30ASR	30" All Trident Built-In Grill	\$ 3,399	\$ 3,699
L30ASFR	30" All Trident Freestanding Grill	\$ 3,899	\$ 4,299
L36ASR	36" All Trident Built-In Grill	\$ 4,799	\$ 5,199
L36ASFR	36" All Trident Freestanding Grill	\$ 5,899	\$ 6,399
L42ASR	42" All Trident Built-In Grill	\$ 5,299	\$ 5,799
L42ASFR	42" All Trident Freestanding Grill	\$ 6,399	\$ 6,999

MEET ANDRÉS DANGOND DOWNEY, CA LYNX EXECUTIVE CHEF, ONE OF THE YOUNGEST MICHELIN EXPERIENCED CHEFS

"The thing that blows my mind every time I turn on a Lynx Grill is how insanely hot it can get in a short amount of time. Realizing how fast it responds to heat adjustments when cooling it down for slow cooking after searing, or quickly heating up for reverse searing, made me realize we can almost forget everything we know about traditional grilling. These machines are perfect."







FEATURES AND BENEFITS

The innovative features, unparalleled performance and superior craftsmanship of Lynx Professional Grills are available in 27", 30", 36", 42" and 54" configurations for built-in or freestanding applications.



GENERAL FEATURES

- Trident ProSear2™ infrared technology delivers intense and controllable infrared heat (ProSear models only)
- Cast brass burner for extremely even cooking temperature
- Elegant fit and finish - continuously welded smooth joints
- Reliable hot surface ignition system
- Control knob illumination with blue LED lights
- Internal halogen grill surface light(s)
- Specially designed high-density ceramic radiant briquettes
- Large and easy-to-read temperature gauge
- Fluid rotation handle is easy on wrist
- Lynx Hood Assist for effortless, safe operation
- Heat Stabilizing Design
- Dual position internally powered rotisserie with rear infrared burner and heavy-duty 3-speed motor
- Removable large-capacity smoker box
- Solid stainless steel grilling grates



FREESTANDING GRILL CART FEATURES

- Grill head is welded to cart to insure strength and rigidity
- Commercial casters with 360 degrees maneuverability make these units easy to move / 6 casters on 42" and 54" grills
- Fold-down shelves
- Heavy duty swing-out cart doors
- Doors include condiment shelves that are removable for easy cleaning
- 42" & 54" grill carts feature two pull out utility storage drawers
- Optional sliding LP tank tray
- Optional side burner attachment available

MEET KERRY SIMON LAS VEGAS, NV ROCK N' ROLL CHEF

"I am very proud to be a part of the Lynx Chef team. Lynx is truly the leader in grilling and outdoor kitchen innovation."



TECHNOLOGY AND QUALITY HIGHLIGHTS



CAST BRASS BURNERS

- Lifetime Warranty
- Commercial burner design
- Rated at 25,000 BTU's each
- Heavy cast brass burners radiate heat effectively



ELEGANT FIT AND FINISH

- Heavy 16 gauge stainless construction
- Continuously welded smooth joints for quality, strength and beauty
- Finished seams with finely polished mirrored edges



CONTROL KNOB ILLUMINATION WITH BLUE LED LIGHTS

- Each knob features dedicated LED lighting
- Knob markings can easily be viewed at night
- Single switch activation for blue LED's and internal halogen lights



MEET AMANDA HAAS SAN FRANCISCO, CA EXECUTIVE CHEF, WILLIAMS SONOMA TEST KITCHEN

"When cooking on the Lynx, I treat it like an actual kitchen. I look at all of its capabilities and plan my menu around that. For example, for the menu I did for the videos, I knew I wanted to sear my tuna over the highest heat, then use lower heat to roast my vegetables for the salad. I decided to do potato skewers because I knew they could cook on the burner and then be finished on the grill... I even like to grill my dessert, so after everyone has eaten the main course, I pour another type of wine and set off grilling some fruit. Dessert is done in a matter of minutes."

TECHNOLOGY & QUALITY HIGHLIGHTS



INTERNAL HALOGEN GRILL SURFACE LIGHT

- Brightly illuminates the entire grilling surface using a heavy-duty Pyrex® glass lens directly over the grilling surface
- 10 watt halogen light
- 36", 42" and 54" Grills feature two lights



CERAMIC RADIANT BRIQUETTES

- Special designed high-density ceramic
- Even heat across the entire grilling surface
- Reduces flare-ups by keeping grease and oil away from the direct flame
- Enhances food's flavor as drippings hit the briquettes and turn to smoke
- Briquettes are clipped in place for easy reversible cleaning



LYNX HOOD ASSIST

- Heat treated stainless steel spring system
- Makes opening the commercial-grade hood effortless and safe
- Easy to remove and replace
- Reduces 90% of hood weight


MEET GLENN LYMAN CHARLOTTE, NC PERSONAL CHEF TO HIGH PROFILE ATHLETES

"When I think about time spent around the grill, I recall a lifetime of experience and quality time with family and friends. I cherish the memories of hanging out around the grill, sharing stories, swapping recipes, and making plans for the next gathering. Imagining the great taste and smell of grilled food sparks up nostalgia I will never forget. Thanks to the championship quality of Lynx, I have a real home-court advantage in the outdoor kitchen."





TECHNOLOGY & QUALITY HIGHLIGHTS



HEAT STABILIZING DESIGN

- Wind-fin design (left) stabilizes critical grill surface temperatures when cooking with the grill hood closed in windy conditions
- Firebox baffles and burner partitions on ProSear2™ models insure that the heat generated by the burners is uniformly and directly delivered to the grill surface



REMOVABLE LARGE CAPACITY SMOKER BOX INCLUDED

- Used with wood chips or smoker pellets
- Sets directly on grates over any burner
- Smoking is most effective in first 20 minutes of slow cooking
- Made of heavy gauge 304 stainless steel
- Unique handle and interlock mechanism is designed to allow quick removal or refilling



ROTISSERIE SYSTEM

- 3-speed motor rated for 55 lbs.
- 2 roasting positions
- 14,000 to 16,000 BTU infrared rear burner
- Stainless steel roller bearings
- Drip pan included

MEET

DEVIN ALEXANDER LOS ANGELES, CA
MEDIA PERSONALITY, WEIGHT LOSS EXPERT, CHEF OF NBC'S
THE BIGGEST LOSER

"I grill almost daily because grilling adds amazing flavor without adding the calories! I'm in love with my Lynx because it adds so much versatility and ease with an incredibly upscale look."





TECHNOLOGY & QUALITY HIGHLIGHTS



SQUARE INCHES OF GRILLING SURFACE

Lynx grills have an extended depth for more primary grilling space*

- 27" Grills - 685 square inches (470 primary / 215 secondary)
- 30" Grills - 840 square inches (600 primary / 240 secondary)
- 36" Grills - 935 square inches (640 primary / 295 secondary)
- 42" Grills - 1,200 square inches (855 primary / 345 secondary)
- 54" Grills - 1,555 square inches (1,110 primary / 445 secondary)

***NOTE:** 27" and 36" grill depth = 19" / 30", 42" and 54" grill depth = 21"



TEMPERATURE GAUGE

- Indicates when your grill is ready for cooking
- Large and easy to read
- Temperature reading is for convected heat, add 200° for surface grate temperature



RELIABLE HOT SURFACE IGNITION SYSTEM

- Ensures safe and efficient burner ignition
- Light each burner with the push of a knob
- Robust and weather resistant
- Ignition operates on 12 Volts DC
- Integral "flash-tube" alternate lighting system

MEET KEVIN GARVIN DALLAS, TX EXECUTIVE CHEF, NEIMAN MARCUS RESTAURANTS

"I like to use my outdoor Lynx grill as often as I can and nothing is better than searing a nice New York steak at 500 to 600 degrees. Once both sides are seared I move the steak to a cooler part of the grill to finish cooking. It's that outside crispy char that I strive for all the time. Thanks for building the greatest grills in the world!"





TECHNOLOGY & QUALITY HIGHLIGHTS



INSULATED BULLNOSE

- Safe to touch when grill is hot
- Prevents burns from contact



COMPLEMENTARY PRODUCTS

Create the kitchen you envision with a full complement of Lynx products, including:

- Double side burner prep center
- Warming drawer
- Trash chute with cutting board
- Power burner
- Refrigerators, ice makers and much more





MEET KENT RATHBUN DALLAS, TX IRON CHEF RESTAURATEUR

"As a chef I have been fortunate enough to work with many brands of equipment but when it comes to outdoor appliances, I find Lynx to be the Porsche of outdoor kitchen products."



54" PROFESSIONAL GRILL





Built-In



Freestanding



54" ISLAND PREPARATION



*2" round hole must be located at rear of grill cutout. 120V GFI outlet must be located within 6' of the 2" hole.

CART MOUNTED DOUBLE SIDE BURNER

MODEL LCB2-3

- Finished seams with finely polished edges
- Available for cart mounted applications

COOKING SURFACE

- 1,555-square-inch cooking surface (1,110 primary / 445 secondary)

SHIPPING WEIGHTS & DIMENSIONS

- Built-in Grill: 421 lbs. / 63 1/4" x 34" x 34"
- Free Standing Grill: 627 lbs. / 63 1/4" x 34" x 54 1/2"

COMPLEMENTARY PRODUCTS

- Side Burner (See page 20)
- Cocktail Station (See page 21)
- Outdoor Refrigerators (See pages 22 & 23)
- Outdoor Ice Machine (See page 23)
- Storage Drawers (See pages 24 & 25)
- Access Doors and Storage Systems (See page 25 & 26)
- Patio Heater (See page 27)

MODEL	DESCRIPTION	UMRP	MSRP
L54PSR-2	54" Built-In Grill - 1 ProSear2™ IR Burner with Rotisserie	\$ 6,399	\$ 6,999
L54PSFR-2	54" Freestanding Grill - 1 ProSear2™ IR Burner with Rotisserie	\$ 7,999	\$ 8,499
LCB2-3	Cart Mounted Double Side Burner	\$ 1,299	\$ 1,459
LIJ54	Insulating Jacket for 54" Built-In-Grill	\$ 739	\$ 799
LQD	Quick Disconnect shutoff and nipple (12' hose for LP or NG)	\$ 129	\$ 139
CC54	54" - All Grill Carbon Fiber Vinyl Cover (built-in)	\$ 219	\$ 239
CC54F	54" - All Grill Carbon Fiber Vinyl Cover (freestanding)	\$ 299	\$ 329
CC54FCB	54" - All Grill Carbon Fiber Vinyl Cover (freestanding with side burner)	\$ 359	\$ 389



NOTE: Must Specify Gas Type – NG for Natural Gas or LP for Propane

NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Trade Resources section of the Lynx website: www.lynxgrills.com



42" PROFESSIONAL GRILL




Built-In



Freestanding



42" ISLAND PREPARATION



*2" round hole must be located at rear of grill cutout. 120V GFI outlet must be located within 6' of the 2" hole.

CART MOUNTED DOUBLE SIDE BURNER

MODEL LCB2-3

- Finished seams with finely polished edges
- Available for cart mounted applications

COOKING SURFACE

- 1,200-square-inch cooking surface (855 primary / 345 secondary)

SHIPPING WEIGHTS & DIMENSIONS

- Built-in Grill: 346 lbs. / 51 1/2" x 34" x 34"
- Free Standing Grill: 524 lbs. / 51 1/2" x 34" x 54 1/2"

COMPLEMENTARY PRODUCTS

- Side Burner (See page 20)
- Cocktail Station (See page 21)
- Outdoor Refrigerators (See pages 22 & 23)
- Outdoor Ice Machine (See page 23)
- Storage Drawers (See pages 24 & 25)
- Access Doors and Storage Systems (See page 25 & 26)
- Patio Heater (See page 27)

MODEL	DESCRIPTION	UMRP	MSRP
L42R-1	42" Built-In Grill with Rotisserie	\$ 5,299	\$ 5,799
L42PSR-2	42" Built-In Grill - 1 ProSear2™ IR Burner with Rotisserie	\$ 5,299	\$ 5,799
L42ASR	42" Built-In Grill - All ProSear2™ IR Burner with Rotisserie	\$ 5,299	\$ 5,799
L42PSFR-2	42" Freestanding Grill - 1 ProSear2™ IR Burner with Rotisserie	\$ 6,399	\$ 6,999
L42ASFR	42" Freestanding Grill - All ProSear2™ IR Burner with Rotisserie	\$ 6,399	\$ 6,999
LCB2-3	Cart Mounted Double Side Burner	\$ 1,299	\$ 1,459
LIJ42	Insulating Jacket for 42" Built-In Grill	\$ 699	\$ 779
LQD	Quick Disconnect shutoff and nipple (12' hose for LP or NG)	\$ 129	\$ 139
CC42	42" Carbon Fiber Vinyl Cover (built-in)	\$ 179	\$ 199
CC42F	42" Carbon Fiber Vinyl Cover (freestanding)	\$ 249	\$ 279
CC42FCB	42" Carbon Fiber Vinyl Cover (freestanding with side burner)	\$ 279	\$ 309



NOTE: Must Specify Gas Type – NG for Natural Gas or LP for Propane

NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Trade Resources section of the Lynx website: www.lynxgrills.com



36" PROFESSIONAL GRILL



Built-In



Freestanding




36" ISLAND PREPARATION



CART MOUNTED DOUBLE SIDE BURNER

MODEL LCB2-3

- Finished seams with finely polished edges
- Available for cart mounted applications



*2" round hole must be located at rear of grill cutout. 120V GFI outlet must be located within 6' of the 2" hole.

COOKING SURFACE

- 935-square-inch cooking surface (640 primary / 295 secondary)

SHIPPING WEIGHTS & DIMENSIONS

- Built-in Grill: 291 lbs. / 46" x 31 1/2" x 33 3/4"
- Free Standing Grill: 414 lbs. / 46" x 31 1/2" x 54 1/2"

COMPLEMENTARY PRODUCTS

- Side Burner (See page 20)
- Cocktail Station (See page 21)
- Outdoor Refrigerators (See pages 22 & 23)
- Outdoor Ice Machine (See page 23)
- Storage Drawers (See pages 24 & 25)
- Access Doors and Storage Systems (See page 25 & 26)
- Patio Heater (See page 27)

MODEL	DESCRIPTION	UMRP	MSRP
L36R-1	36" Built-In Grill with Rotisserie	\$ 4,799	\$ 5,199
L36PSR-2	36" Built-In Grill - 1 ProSear2™ IR Burner with Rotisserie	\$ 4,799	\$ 5,199
L36ASR	36" Built-In Grill - All ProSear2™ IR Burner with Rotisserie	\$ 4,799	\$ 5,199
L36PSFR-2	36" Freestanding Grill - 1 ProSear2™ IR Burner with Rotisserie	\$ 5,899	\$ 6,399
L36ASFR	36" Freestanding Grill - All ProSear2™ IR Burner with Rotisserie	\$ 5,899	\$ 6,399
LCB2-3	Cart Mounted Double Side Burner	\$ 1,299	\$ 1,459
LIJ36	Insulated Jacket for 36" Built-In-Grill	\$ 679	\$ 739
LQD	Quick Disconnect shutoff and nipple (12' hose for LP or NG)	\$ 129	\$ 139
CC36	36" Carbon Fiber Vinyl Cover (built-in)	\$ 169	\$ 189
CC36F	36" Carbon Fiber Vinyl Cover (freestanding)	\$ 229	\$ 259
CC36FCB	36" Carbon Fiber Vinyl Cover (freestanding with side burner)	\$ 259	\$ 289



NOTE: Must Specify Gas Type – NG for Natural Gas or LP for Propane

NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Trade Resources section of the Lynx website: www.lynxgrills.com



30" ASADO™ GRILL





Built-In



Freestanding



30" ISLAND PREPARATION



* 2" round hole must be located at rear of grill cutout. 120V GFI outlet must be located within 6' of the 2" hole.

COOKING SURFACE

- 525-square-inch cooking surface

SHIPPING WEIGHTS & DIMENSIONS

- Built-in Grill: 208 lbs. – 38 1/2 x 34 1/4 x 23
- Free Standing Grill: 329 lbs. – 38 1/2 x 34 1/4 x 47 1/2

The Lynx Asado Grill is the perfect complement to complete your outdoor kitchen. With a multi-layer grilling surface of aluminum sandwiched between two sheets of stainless steel for even heat distribution, the two ProSear2 infrared burners provide responsive temperature control over two independent cooking zones. Breakfast, lunch, or dinner entrées and side dishes are prepared to your individual tastes for a complete dining experience. All from the outdoor kitchen experts at Lynx.

MODEL	DESCRIPTION	UMRP	MSRP
L30AG	30" Asado Built-In Grill	\$ 3,499	\$ 3,899
L30AGF	30" Asado Freestanding Grill	\$ 4,199	\$ 4,599
LIJ30	Insulated Jacket for 30" Asado Built-In	\$ 649	\$ 729
LQD	Quick Disconnect shutoff and nipple (12' hose for LP or NG)	\$ 129	\$ 139
CCASADO	30" Carbon Fiber Vinyl Cover (built-in)	\$ 129	\$ 139
CCASADOF	30" Carbon Fiber Vinyl Cover (freestanding)	\$ 199	\$ 229

NOTE: Must Specify Gas Type – NG for Natural Gas or LP for Propane



NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Trade Resources section of the Lynx website: www.lynxgrills.com

NAPOLI PIZZA OVEN BY LYNX™



NEW




Built-In or Countertop




Freestanding with Cart



30" ISLAND PREPARATION



Built-In



Countertop

COOKING SURFACE

- 400-square-inch cooking surface

SHIPPING WEIGHTS & DIMENSIONS

- Built-in / Counter: 275 lbs. – 37 x 38 1/2 x 34 1/4
- Cart: 250 lbs. – 54 1/2 x 63 1/4 x 34

FEATURES

- Specially formulated concrete refractory interior dome and cooking surface
- Preheats quickly to 700°F for a quick pizza cook
- Variable infrared heating system
- Cooking surface pulls forward for easy access to food
- Reversible top chimney vents toward front or rear
- Removable front door
- Hand polished mirrored edges, interior light, blue LED control knob illumination
- Includes 12 1/4" x 20" Pizza Peel

MODEL	DESCRIPTION	UMRP	MSRP
LPZA	Napoli Pizza Oven, Countertop or Built-In	\$ 3,999	\$ 4,499
LPZAF	Napoli Pizza Oven, Freestanding	\$ 5,999	\$ 6,599
LPZACART	Cart only for Napoli Pizza Oven	\$ 2,000	\$ 2,100
CCLPZA	30" Napoli Pizza Oven Carbon Fiber Vinyl Cover (built-in)	\$ 149	\$ 169
CCLPZAF	30" Napoli Pizza Oven Carbon Fiber Vinyl Cover (freestanding)	\$ 299	\$ 329

NOTE: Must Specify Gas Type – NG for Natural Gas or LP for Propane

NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Trade Resources section of the Lynx website: www.lynxgrills.com

PROFESSIONAL SIDE BURNERS & POWER BURNER



MODELS LSB1-3 / LSB2-2

SINGLE AND DOUBLE SIDE BURNERS

- 15,000 BTU brass burners capable of delivering intense high heat and a low simmer
- Burners and burner basin are sealed and easy to clean
- Control Illumination with blue LED's
- Hot Surface Ignition System
- Stainless steel cover protects the burner(s) when not in use
- Single or double burner configurations
- Continuously welded joints for quality, strength and beauty
- Finished seams with finely polished edges



- Available for cart mounted applications (LCB2-3)

MODEL LSB2PC-1

DOUBLE SIDE BURNER W/ INTEGRAL PREP CENTER

- Two 15,000 BTU brass burners capable of delivering intense high heat and a low simmer
- Burners and burner basin are sealed and easy to clean
- Control Illumination with blue LEDs
- Hot Surface Ignition System
- Two removable stainless steel covers for prep area and side burners
- Lift-out bamboo cutting board provides a convenient prep area
- Extended depth utility drawer for utensil and condiment storage / accommodates oversized utensils
- Available for built-in application only

MODEL LPB

POWER BURNER

- Cast Brass Burner rated at 47,000 BTU
- Burner features Dual Rings that can be operated independently for maximum heat control (6,000 BTU up to 47,000 BTU)
- Control Illumination with blue LED's
- Hot Surface Ignition System
- Removable stainless steel cover
- Fully extendable drip pan
- Removable center grate feature allows unit to accommodate a commercial style round-bottom wok
- Replace the center grate and the unit is ready for an oversized stockpot or pan
- Available for built-in application only

MODEL	DESCRIPTION	UMRP	MSRP
LSB1-3	Built-in Single Side Burner	\$ 799	\$ 859
LSB2-2	Built-in Double Side Burner	\$ 1,149	\$ 1,259
LSB2PC-1*	Double Side Burner with Integral Prep Center	\$ 1,879	\$ 2,099
LPB*	Power Burner	\$ 1,759	\$ 1,899
LCB2-3	Cart-Mounted Double Side Burners	\$ 1,299	\$ 1,459
CCLSB1	Single Side Burner Carbon Fiber Vinyl Cover (built-in)	\$ 79	\$ 89
CCLSB	Double Side Burner Carbon Fiber Vinyl Cover (built-in)	\$ 99	\$ 109
CCLSB2PC	Double Side Burner with Prep Center Carbon Fiber Vinyl Cover	\$ 119	\$ 129
CCLPB	Power Burner Carbon Fiber Vinyl Cover	\$ 119	\$ 129

NOTE: Must Specify Gas Type – NG for Natural Gas or LP for Propane

*Models LSB2PC-1 and LPB are available for built-in application only

For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, Please visit the Trade Resources section of the Lynx website: www.lynxgrills.com

SINKS/ FAUCET/ COCKTAIL PRO STATIONS



NEW

MODEL LSK18 SINK

- Basin size 14 ¾" x 16 ½" x 10"
- 3 ½" drain with stopper & basket
- Accommodates disposal unit
- Fully insulated (ice capacity 18 lbs.)
- Sized to accommodate faucet LFK
- Blue LED lights & switch
- SS cover included



MODEL LSK24 SINK

- Basin size 20 ¾" x 16 ½" x 10"
- 3 ½" drain with stopper & basket
- Accommodates disposal unit
- Fully insulated (ice capacity 24 lbs.)
- Sized to accommodate faucet LFK
- Blue LED lights & switch
- SS cover included



MODEL LSK30 SINK

- Basin size 26 ¾" x 16 ½" x 10"
- 3 ½" drain with stopper & basket
- Accommodates disposal unit
- Fully insulated (ice capacity 30 lbs.)
- Sized to accommodate faucet LFK
- Blue LED lights & switch
- SS cover included



MODEL LFK OUTDOOR FAUCET

- Solid stainless steel faucet
- Outdoor rated 10 year warranty
- Hot/cold or cold only
- Washerless operation
- High arch fits larger pots & pans
- Single lever handle operation
- Sleek modern design



MODEL CS30-1 30" BUILT-IN COCKTAIL PRO

- Shown with optional pass shelf with halogen light (CSPS)
- Built-in bottle opener with integral cap catcher
- Front Panel Illumination with blue LEDs
- Bottle boots for chilling juices, wines and mixes
- Speedrail front bottle storage for quick and easy access to bottles
- Insulated ice bin with sliding stainless steel cover holds ice for extended periods of time
- Stainless steel sink with faucet and water filtration system
- Convenient integrated towel holder, drain board and slide-away cutting board



MODEL CS30F-1 30" FREESTANDING COCKTAIL PRO

- Same features as CS30-1 (left) plus -
- Two fold-down shelves
 - Doors include bottle shelves that are removable for easy cleaning
 - Four commercial casters make these units easy to move
 - Rigid welded construction insures strength and longevity

MODEL	DESCRIPTION	UMRP	MSRP
LSK18	18" Insulated Sink	\$ 999	\$ 1,099
LSK24	24" Insulated Sink	\$ 1,199	\$ 1,299
LSK30	30" Insulated Sink	\$ 1,399	\$ 1,559
LFK	Gooseneck Faucet	\$ 349	\$ 399
CS30-1	Built-In Cocktail Pro Cocktail Station	\$ 1,899	\$ 2,149
CS30F-1	Freestanding Cocktail Pro Cocktail Station	\$ 2,699	\$ 2,999
CSPS	Pass Shelf accessory with halogen light – Must Special Order at same time as Cocktail Station	\$ 449	\$ 499
CCCS30	Cocktail Station (CS30-1) without Pass Shelf Cover	\$ 139	\$ 149
CCLSK18	LSK18 Carbon Vinyl Cover (for sink with Lynx faucet LFK)	\$ 129	\$ 139
CCLSK24	LSK24 Carbon Vinyl Cover (for sink with Lynx faucet LFK)	\$ 139	\$ 149
CCLSK30	LSK30 Carbon Vinyl Cover (for sink with Lynx faucet LFK)	\$ 149	\$ 159

NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Trade Resources section of the Lynx website: www.lynxgrills.com



NEW

MODEL L24DWR

24" TWO DRAWER REFRIGERATOR

- UL listed for outdoor use
- Stainless steel interior and exterior
- Energy Star rated
- Digital read-out
- Full extension drawers
- Temp range of 34 to 40 degrees F
- Forced-air cooling and advanced insulation
- Variable-speed compressor
- Drawer lock
- 34^{1/4} H x 23^{5/8} W x 24 D
- 5.2 cu. ft. of usable capacity



MODEL LDC18

18" DROP IN COOLER

- Fully insulated all welded SS cooler with polished highlights
- 1.7 cu. ft. capacity
- Heavy duty refrigerator gasket and insulated lid keeps items cool.
- Hydraulic-like bracket holds lid open and allows for soft close action.
- Removable hinge pins allows for cooler to be used without lid
- Drain in base for attaching hose (hose not included)
- 13" depth accommodates most wine bottles
- 14^{5/8} H x 19 W x 18 D

MODEL L24BF

**24" OUTDOOR REFRIGERATOR/
CONVERTIBLE BEVERAGE
DISPENSER**

- UL listed for outdoor use
- Stainless steel interior and exterior
- Interior light
- Energy Star rated
- Digital read-out
- Two racks with multiple positions
- Temp range of 34 to 40 degrees F
- Forced-air cooling and advanced insulation
- Variable-speed compressor
- Door lock
- Accommodates all standard keg sizes except a half barrel and full keg
- Tower Kits (Model L24TWS - single tap or L24TWD - dual tap) available as accessories and include CO2 tank, hoses and fittings
- Caster Kit (Model L24CST) available for freestanding applications
- Left or right hinged door
- 34^{1/2} H x 23^{7/8} W x 24 D
- 5.2 cu. ft. of usable capacity

MODEL L15WINE

15" 20 BOTTLE WINE CELLAR

- UL listed for outdoor use
- 20 750 ml. bottle capacity
- Single zone operation
- Horizontal rack design maintains cork integrity to avoid deterioration that could allow oxygen penetration
- Unique forced air circulation system for even temperature control throughout unlike other products that rely on a rear cold plate to achieve temperature that can create icy temperatures at the back of the unit
- Programmable digital temperature control
- Two inch thick foamed-in-place walls protect against vibration
- Low-E, UV coated glass limits exposure to light without sacrificing the display of the collection
- Commercial grade stainless steel interiors resists stains and odors
- Right hinged door
- 34^{1/4} H x 14^{7/8} W x 24 D

MODEL L24TWS



MODEL L24TWS
Tap Base



MODEL L24TWS
Single Tower Head



MODEL L24TWD
Double Tower Head



MODEL L24CST
Caster Kit

REFRIGERATOR / ICE MACHINE / WARMING DRAWERS



MODEL L24REF 24" OUTDOOR REFRIGERATOR

- UL listed for outdoor use
- Seamless stainless steel exterior
- Interior light
- 5.5 cubic feet of usable capacity
- 4 tempered glass shelves with 8 positions
- Seamless interior liner
- Adjustable leveling legs
- GFI-equipped plug
- Adjustable temperature control
- Right hinged door only
- 32^{1/2} H x 23^{5/8} W x 23^{3/4} D



MODEL L15ICE 15" OUTDOOR ICE MACHINE

- UL listed for outdoor use
- Seamless stainless steel exterior
- Capable of producing 55 lbs. of ice in a 24 hr. period
- 27 lbs. of actual ice storage
- Adjustable leveling legs
- Optional drain pump available (Model L15ICE-DP)
- Right hinged door only
- 33^{3/8} H x 14^{7/8} W x 22^{1/2} D



42" WARMING DRAWER AND CONVENIENCE CENTER

- Warming Drawer, Storage Cabinet and Utility Drawer in one convenient unit
- Sliding LP tank tray for safe and easy LP tank access
- Full width and depth utility drawer accommodates oversized grill tools, towels and condiments
- Warming Drawer features are identical to the 30" Outdoor Warming Drawer (Model L30WD-1)
- Weather resistant stainless steel construction

MODEL L42CC-1



30" BUILT-IN WARMING DRAWER

- Temperature range of 90 to 220 degrees F
- Equipped with two removable steam pans, lids and steam racks
- Moist and crisp settings allow you to keep food at the desired texture
- Concealed heating element allows you to use the drawer as a towel or robe warmer
- "On" indicator light reminds you that the drawer is on
- Weather resistant stainless steel construction

MODEL L30WD-1

MODEL	DESCRIPTION	UMRP	MSRP
L15WINE	15" 20 Bottle Wine Cellar	\$ 2,999	\$ 3,299
L24DWR	24" Two Drawer Refrigerator	\$ 3,799	\$ 4,099
L24BF	24" Outdoor Refrigerator / Convertible to Beverage Dispenser	\$ 2,999	\$ 3,299
L24TWS	Single Tap Tower Kit	\$ 549	\$ 599
L24TWD	Double Tap Tower Kit	\$ 849	\$ 929
L24TWB	Lynx Beverage Dispenser Tap Base	\$ 249	\$ 279
L24CST	Caster Kit for Refrigerator Model L24BF	\$ 169	\$ 189
LDC18	18" Drop In Cooler	\$ 899	\$ 999
L24REF	24" Outdoor Refrigerator	\$ 2,499	\$ 2,799
L15ICE	15" Outdoor Ice Machine	\$ 2,899	\$ 3,159
L15ICE-DP	Optional Drain Pump for 15" Outdoor Ice Machine	\$ 629	\$ 699
L42CC-1	42" Convenience Center with Warming Drawer, Utility Drawer and Tank Storage	\$ 2,899	\$ 3,099
L30WD-1	30" Warming Drawer	\$ 1,729	\$ 1,879
CCTWR	Beverage Dispenser / Single Tower Tap Head Carbon Fiber Vinyl Cover	\$ 59	\$ 69

NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Trade Resources section of the Lynx website: www.lynxgrills.com

SEALED PANTRY/ UTILITY DRAWERS



MODEL LPA36

SEALED PANTRY

- Magnetic Gasket insures tight seal which protects cookware, dry goods and more from pests and weather
- Full extension glide out drawers
- Adjustable wire shelf
- Illuminated drawers and door lock
- Storage space is 31" x 18" x 20"



MODEL LMD

MODULAR STORAGE DRAWER

- Interior Drawer: 20 3/8" W x 23" D x 4 7/8" H
- Drawer Face: 7 5/8" H x 23 5/8" W
- Shallow depth, easy to organize storage solution
- Rigid stainless steel construction
- Full extension drawer slides for easy access to the back of the drawer
- Drawers can be installed individually or stacked in 2 or 3-drawer configurations
- 3-drawer configuration matches the height of Lynx LDR Access Doors
- A Modular Drawer Kit (Model LMDKIT) is required when drawers are stacked 2 or 3 high



MODEL LUDE

UTILITY DRAWERS - DOUBLE DRAWER

- Each drawer exterior is 13 inches wide and 8.5 inches tall
- Extended depth of 22 inches accommodates oversized items
- Fully extendable drawers on commercial stainless steel rollers facilitate smooth and consistent operation
- Rigid welded construction to ensure strength and longevity
- Professional style door handles



MODEL LUDXL-1

UTILITY DRAWERS -EXTRA LARGE DOUBLE DRAWER

- Each drawer exterior is 18 inches wide and 10 inches tall
- Extended depth of 22 inches accommodates oversized grill tools, spices, towels or woodchips
- Fully extendable drawers on commercial stainless steel rollers facilitate smooth and consistent operation
- Rigid welded construction to ensure strength and longevity
- Professional style door handles



MODELS LDW16 / LDW19

DOUBLE DRAWERS

- Each drawer has an extended depth of 21" to accommodate oversized grill tools, spices, towels or woodchips
- Fully extendable drawers on stainless steel glides
- Rigid welded construction to ensure strength and longevity
- Professional style door handles
- Drawers are fully enclosed for protection

STORAGE SYSTEM / ACCESS DOORS



MODELS LSA30 / LSA36 / LSA42

OUTDOOR KITCHEN STORAGE SYSTEM

- Storage door with lock and double drawer combination
- 30, 36, and 42 inch sizes available
- Each Drawer is 25 1/2" deep
- Illuminated drawers and door space
- Soft close drawer slides

MODELS LDR24L / LDR24R / LDR30T / LDR36T / LDR42T

SINGLE ACCESS DOORS / DOUBLE ACCESS DOORS

- 24", 30", 36" and 42" sizes available
- Left or right-hinge available on single access doors

MODEL	DESCRIPTION	UMRP	MSRP
LPA36	Sealed Pantry	\$ 1,999	\$ 2,199
LMD	Modular Drawer (single drawer)	\$ 499	\$ 559
LMDKIT	Modular Drawer Kit (allows you to stack model LMD 2 or 3 high)	\$ 69	\$ 89
LUDE	Utility Drawers - Two full standard drawers with 5" offset handles	\$ 1,099	\$ 1,199
LUDXL-1	Utility Drawers - Two extra large drawers with 5" offset handles	\$ 1,449	\$ 1,599
LDW16	16" Double Drawer	\$ 799	\$ 889
LDW19	19" Double Drawer	\$ 1,099	\$ 1,199

MODEL	DESCRIPTION	UMRP	MSRP
LSA30	30" Storage Door and Double Drawer Combination	\$ 1,149	\$ 1,269
LSA36	36" Storage Door and Double Drawer Combination	\$ 1,249	\$ 1,379
LSA42	42" Storage Door and Double Drawer Combination	\$ 1,349	\$ 1,479

MODEL	DESCRIPTION	UMRP	MSRP
LDR24L	24" Access Door (Hinge Left)	\$ 379	\$ 419
LDR24R	24" Access Door (Hinge Right)	\$ 379	\$ 419
LDR30T	30" Access Doors	\$ 479	\$ 529
LDR36T	36" True Width Access Doors	\$ 549	\$ 609
LDR42T	42" True Width Access Doors	\$ 599	\$ 669

NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Trade Resources section of the Lynx website: www.lynxgrills.com

TRASH CENTERS AND CHUTE



MODEL L18TC

OUTDOOR TRASH CENTER

- Provides a concealed, attractive option
- Includes heavy-duty removable trash bin
- Tilt out, unframed
- Seamless welded construction
- Door and stainless bin are removable for cleaning
- Professional Style door handles



MODEL L20TR

OUTDOOR TRASH & RECYCLE CENTER

- Robust commercial design
- Slide out trash and recycle bins
- Easily removable for cleaning
- Includes two removable bins for trash and recycling



MODEL LTA30

30" TRASH CENTER & DOUBLE DRAWERS

- Combination trash center/storage system
- Robust commercial design
- Slide out trash/recycle bin
- Accommodates an LP tank
- Two stacked drawers



MODEL L18TS

TRASH CHUTE

- Perfect complement to Trash Center
- Convenient disposal without opening the door
- Includes slide-away commercial cutting board
- Stainless steel cover with professional handle

MODEL	DESCRIPTION	UMRP	MSRP
L18TC	18" Outdoor Trash Center, tilt out, unframed	\$ 799	\$ 879
L20TR	Lynx 20" Trash & Recycle Bins - Slide-out, Framed	\$ 799	\$ 879
LTA30	30" Trash Center & Double Drawer Combo	\$ 1149	\$ 1269
L18TS	Countertop Trash Chute with Cutting Board	\$ 349	\$ 389
CCTS	Trash Chute Carbon Fiber Vinyl Cover	\$ 59	\$ 69

NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Trade Resources section of the Lynx website: www.lynxgrills.com

INFRARED PATIO HEATERS



MODEL LHPM

POST-MOUNTED INFRARED PATIO HEATER

- Robust commercial design / 304 SS construction
- Innovative technology that reduces the center "hot spot" and distributes heat more evenly
- Polished 'double surface' reflector intensifies heat output
- Large heat radius
- Specially designed for improved wind resistance
- Direct Spark Ignition with Auto re-light
- Remote wall switch operation (switch kit available)
- Electronic Hi / Lo heat selection
- 2-Stage output from 53,000 BTU to 46,000 BTU
- Available only with Natural Gas



MODEL LHEM48

EAVE MOUNT PATIO HEATER

- All stainless steel welded construction.
- Spark ignition with auto re-light.
- Slim, attractive profile.
- Decorative safety grill provides wind resistance.
- Convenient, battery operated. Requires no 110V electrical routing for basic installation.
- Includes wireless, wall mounted, on-off-hi-low switch.
- Includes an additional touch screen remote control (pictured).
- Variable output from 35,000 BTU to 24,000*
- Remote thermostat temperature control



* 27,000 BTU LP

MODEL	DESCRIPTION	UMRP	MSRP
LHPM	Post-Mounted Infrared Outdoor Heater (NG)	\$ 1,199	\$ 1,299
LHEM48	Eave Mounted Heater	\$ 1,999	\$ 2,199
LHPM-BC	Base Mounting Cover (for use with LHPM Only)	\$ 199	\$ 219
LHPM-IC	Island Post Hole Cover	\$ 99	\$ 109
CCMD	Patio Heater Dome Carbon Fiber Vinyl Cover / Fits Models LHPM	\$ 219	\$ 239

NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Trade Resources section of the Lynx website: www.lynxgrills.com

ACCESSORIES



MODEL L16TWL-1

OUTDOOR TOWEL DISPENSER

- Provides a concealed, attractive option
- Accommodates a standard roll of paper towels
- Heavy-duty welded construction
- Professional style handle
- Door swings up



MODEL LSTLP

SLIDING TANK TRAY

- This sliding tank tray provides easy access to your LP tank
- Available for 30", 42" and 54" freestanding cart models



MODEL LTB

OUTDOOR TOWEL BAR

- Add a convenient towel bar to the face of any Lynx outdoor kitchen
- Complements the aesthetic of other Lynx products with matching handle and end cap design



MODEL LQD

QUICK DISCONNECT WITH SHUTOFF & NIPPLE

- Simple solution for gas connections
- 1/2" ID hose ensures adequate gas supply
- 12' hose includes 1/2" quick disconnect fitting at one end and 1/2" male pipe thread on the other
- Includes manual shut-off valve

MODEL	DESCRIPTION	UMRP	MSRP
L16TWL-1	16" Outdoor Paper Towel Dispenser	\$ 299	\$ 329
LSTLP	Sliding Tank tray, to be assembled to LP cart units 30", 42" and 54"	\$ 199	\$ 219
LTB	Towel Bar	\$ 129	\$ 149

MODEL	DESCRIPTION	UMRP	MSRP
LQD	Quick Disconnect with shutoff and Nipple (12' hose for LP or NG)	\$ 129	\$ 139
PROLPK-2	30" / 42" / 54" Grills - NG to LP Conversion Kit	\$ 74	\$ 79
PRONGK-2	30" / 42" / 54" Grills - LP to NG Conversion Kit	\$ 39	\$ 44
PRELPK-2	27" / 36" Grills - NG to LP Conversion Kit	\$ 59	\$ 64
PRENGK-2	27" / 36" Grills - LP to NG Conversion Kit	\$ 24	\$ 27
ASRLPK	All Sear 30" / 36" / 42" - NG to LP Conversion Kit	\$ 98	\$ 109
ASRNGK	All Sear 30" / 36" / 42" - LP to NG Conversion Kit	\$ 52	\$ 57
SLPK	Side Burners - NG to LP Conversion Kit	\$ 6	\$ 7
SNGK	Side Burners - LP to NG Conversion Kit	\$ 6	\$ 7
LPEK	12 foot extension cord between a Lynx Grill and a Lynx Accessory	\$ 20	\$ 24
LASK	Lynx Accessory Switch Kit - Switch and transformer to operate an accessory independently	\$ 50	\$ 55
LAK	Lynx Electrical Adapter Kit - Connects a 2010-2015 Lynx Grill to earlier Lynx Grill and/or Lynx Accessory	\$ 32	\$ 36

NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Trade Resources section of the Lynx website: www.lynxgrills.com

ACCESSORIES / OUTDOOR VENT HOODS



MODELS
LIJ27 / LIJ30 / LIJ36 / LIJ42 / LIJ54

INSULATED JACKET

- Mandatory for grills installed in islands with combustible materials
- Attractive all welded, insulated construction



MODELS LOH36 / LOH48 / LOH60

OUTDOOR VENT HOODS

- 3 speed motor control
- Internal or external blower (sold separately)
- UL rated for outdoors
- 2 - 50 watt halogen lights



MODEL GP

GRIDDLE PLATE

- Cook anything on your grill
- Easy to clean stainless steel surface
- 11" x 15" cooking surface
- Angled 5° slope front to rear to prevent spillage
- 4 feet firmly grip grates
- 2" high sides

MODEL	DESCRIPTION	UMRP	MSRP
GP	Griddle Plate	\$ 279	\$ 339
MODEL	DESCRIPTION	UMRP	MSRP
LIJ27	Insulated Jacket for 27" Grill	\$ 629	\$ 699
LIJ30	Insulated Jacket for 30" Grill and Asado Grill	\$ 649	\$ 729
LIJ36	Insulated Jacket for 36" Grill	\$ 679	\$ 739
LIJ42	Insulated Jacket for 42" Grill	\$ 699	\$ 779
LIJ54	Insulated Jacket for 54" Grill	\$ 739	\$ 799
MODEL	DESCRIPTION	UMRP	MSRP
LOH36	36" Outdoor Vent Hood (Blower sold separately)	\$ 1,799	\$ 1,999
LOH48	48" Outdoor Vent Hood (Blower sold separately)	\$ 2,299	\$ 2,549
LOH60	60" Outdoor Vent Hood (Blower sold separately)	\$ 2,799	\$ 3,199
MODEL	DESCRIPTION	UMRP	MSRP
LOHE	External Blower Motor rated at 1,400 CFM	\$ 1,199	\$ 1,299
LOHI	Internal Blower Motor rated at 1,200 CFM	\$ 829	\$ 899
MODEL	DESCRIPTION	UMRP	MSRP
LOH1236	12" duct cover for 36" hood	\$ 249	\$ 289
LOH1836	18" duct cover for 36" hood	\$ 259	\$ 299
LOH1248	12" duct cover for 48" hood	\$ 259	\$ 299
LOH1848	18" duct cover for 48" hood	\$ 279	\$ 319
LOH1260	12" duct cover for 60" hood	\$ 299	\$ 339
LOH1860	18" duct cover for 60" hood	\$ 329	\$ 369

GRILL AND ACCESSORY COVERS

FEATURES

- Custom tailored fit
- Deep embossed Lynx logo
- Extra-durable carbon fiber vinyl
- Thick felt lining to protect the sleek stainless steel finish
- Pocket seams with flexible nylon cord for a secure fit
- Rear vent to help expel moisture
- Nylon finger loops help pull and secure the cover over the grill



BUILT-IN GRILL COVER



FREESTANDING GRILL COVER

MODEL	DESCRIPTION	UMRP	MSRP
CC27	27" Carbon Fiber Vinyl Cover (built-in)	\$ 129	\$ 139
CC27F	27" Carbon Fiber Vinyl Cover (freestanding)	\$ 199	\$ 229
CC27FCB	27" Carbon Fiber Vinyl Cover (freestanding with side burner)	\$ 239	\$ 259
CC30	30" Carbon Fiber Vinyl Cover (built-in)	\$ 149	\$ 169
CC30F	30" Carbon Fiber Vinyl Cover (freestanding)	\$ 219	\$ 239
CC30FCB	30" Carbon Fiber Vinyl Cover (freestanding with side burner)	\$ 249	\$ 279
CCASADO	30" Asado Carbon Fiber Vinyl Cover (built-in)	\$ 129	\$ 139
CCASADOF	30" Asado Carbon Fiber Vinyl Cover (freestanding)	\$ 199	\$ 229
CCLPZA	30" Napoli Pizza Oven Carbon Fiber Vinyl Cover (built-in)	\$ 149	\$ 169
CCLPZAF	30" Napoli Pizza Oven Carbon Fiber Vinyl Cover (freestanding)	\$ 299	\$ 329
CC36	36" Carbon Fiber Vinyl Cover (built-in)	\$ 169	\$ 189
CC36F	36" Carbon Fiber Vinyl Cover (freestanding)	\$ 229	\$ 259
CC36FCB	36" Carbon Fiber Vinyl Cover (freestanding with side burner)	\$ 259	\$ 289
CC42	42" Carbon Fiber Vinyl Cover (built-in)	\$ 179	\$ 199
CC42F	42" Carbon Fiber Vinyl Cover (freestanding)	\$ 249	\$ 279
CC42FCB	42" Carbon Fiber Vinyl Cover (freestanding with side burner)	\$ 279	\$ 309
CC54	54" - All Grill Carbon Fiber Vinyl Cover (built-in)	\$ 219	\$ 239
CC54F	54" - All Grill Carbon Fiber Vinyl Cover (freestanding)	\$ 299	\$ 329
CC54FCB	54" - All Grill Carbon Fiber Vinyl Cover (freestanding with side burner)	\$ 359	\$ 389



COCKTAIL STATION COVER



POWER BURNER COVER



TRASH CHUTE COVER



BEVERAGE TAP COVER

CCLSB1	Single Side Burner Carbon Fiber Vinyl Cover (built-in)	\$ 79	\$ 89
CCLSB	Double Side Burner Carbon Fiber Vinyl Cover (built-in)	\$ 99	\$ 109
CCLSB2PC	Double Side Burner with Prep Center Carbon Fiber Vinyl Cover	\$ 119	\$ 129
CCLPB	Power Burner Carbon Fiber Vinyl Cover	\$ 119	\$ 129
CCCS30	Cocktail Station without Pass Shelf Cover	\$ 139	\$ 149
CCTWR	Beverage Dispenser / Single Tower Tap Head Carbon Fiber Vinyl Cover	\$ 59	\$ 69
CCTS	Trash Chute Carbon Fiber Vinyl Cover	\$ 59	\$ 69
CCMD	Patio Heater Dome Carbon Fiber Vinyl Cover / Fits Models LHPM and LHFS	\$ 219	\$ 239
CCLSK18	18" Sink Carbon Fiber Vinyl Cover (For Sink with Lynx Faucet LFK)	\$ 129	\$ 139
CCLSK24	24" Sink Carbon Fiber Vinyl Cover (For Sink with Lynx Faucet LFK)	\$ 139	\$ 149
CCLSK30	30" Sink Carbon Fiber Vinyl Cover (For Sink with Lynx Faucet LFK)	\$ 149	\$ 159

*Previous grill covers with model numbers beginning with "VC" have been discontinued and are no longer available.

NOTE: For planning and installation details, including dimensions, specification sheets, CAD drawings and 3-D renderings, please visit the Product Support section of the Lynx website: www.lynxgrills.com

DREAM FREELY



1 Visit www.lynxgrills.com/design-service.asp to complete the online design questionnaire



2 Scan your sketch and upload to www.lynxgrills.com/design-service.asp



3 We will send back detailed blueprints with specifications



4 Relax and enjoy your new Lynx Professional outdoor kitchen

Let the Lynx Outdoor Kitchen Design team take your outdoor grilling into outdoor living with a few simple steps.

Visit www.lynxgrills.com and complete the online design questionnaire. This questionnaire allows our team to fully understand what you'd like to accomplish in your new outdoor living space. In addition to the questionnaire, please provide a simple sketch with dimensions of your outdoor space. If you've already selected the products you want on your own or with a Lynx authorized dealer, please include this list. If not, our team will use this information to customize a design as well as develop a suggested product list. Our team of experts will provide you with a layout with multiple perspectives, while also providing a detailed product list so you know exactly what has been included in your design. Your outdoor kitchen represents a substantial investment. We will help you get it right for exactly what you need.

And your authorized Lynx dealer will be a great partner by guiding you through this process. Best of all, for the Lynx Professional Series there is no charge for this expert design service. Begin your outdoor living venture by simply going to www.lynxgrills.com. You'll find all that you need there... the rest is up to you!

SPECIFICATIONS & INSTALLATION

The guides, measurements and dimensions detailed below are designated to assist you with planning your outdoor kitchen in inches.

NOTE: Due to continuing product innovation, specifications are subject to change without notice.

IMPORTANT: Please reference the Care & Use / Installation manual for details on gas plumbing requirements, electrical specifications and the proper installation of your Lynx outdoor kitchen equipment. This manual can be downloaded from the Lynx website at www.lynxgrills.com

GRILLS

MODEL	A	B	C
L27	26	10 ⁷ / ₈	22
L30*	29	10 ⁷ / ₈	24 ¹ / ₂
L36	35	10 ¹ / ₈	22
L42	41	10 ⁷ / ₈	24 ¹ / ₂
L54	53	10 ⁷ / ₈	24 ¹ / ₂

*Asado - Use L30 dimensions above

COMPLEMENTARY PRODUCTS

ACCESS DOORS

MODEL	A	B
LDR24L/R	19 ¹ / ₄	19
LDR30T	25 ¹ / ₄	19
LDR36T	31 ⁵ / ₈	19
LDR42T	37 ⁵ / ₈	19

SIDE BURNERS

MODEL	A	B	C
LSB1-3	12 ¹ / ₈	10 ⁵ / ₈	12 ¹ / ₂
LSB2-2	12 ¹ / ₈	10 ⁵ / ₈	24 ¹ / ₂
LSB2PC-1	24 ¹ / ₄	10 ⁵ / ₈	24 ¹ / ₂
LPB	19	10 ⁵ / ₈	22

UTILITY DRAWERS

MODEL	A	B	C
LUDE	12 ¹ / ₈	19 ¹ / ₄	24
LUDXL-1	17 ¹ / ₄	18 ⁹ / ₁₆	24 ¹ / ₄
LDW16	14 ¹⁹ / ₃₂	19	24 ¹ / ₂
LDW19	17 ¹ / ₂	19	24 ¹ / ₂
LMD	21 ³ / ₄	5 ⁵ / ₈	23 ³ / ₈

WARMING DRAWERS

MODEL	A	B	C
L30WD-1	28 ¹ / ₂	10	20 ¹ / ₂
L42CC-1	40 ¹ / ₄	19 ³ / ₈	24 ¹ / ₂

COCKTAIL PRO & SINKS

MODEL	A	B	C
CS30-1	29	10 ⁵ / ₈	22 ³ / ₄
LSK18	17	10 ¹ / ₂	22
LSK24	23	10 ¹ / ₂	22
LSK30	29	10 ¹ / ₂	22

WITH INSULATED JACKET INSTALLED

MODEL	A	B	C
LIJ27	33	11 ⁵ / ₈	24
LIJ30	36	11 ⁵ / ₈	26 ¹ / ₂
LIJ36	42	11 ⁵ / ₈	24
LIJ42	48	11 ⁵ / ₈	26 ¹ / ₂
LIJ54	60	11 ⁵ / ₈	26 ¹ / ₂

STORAGE SYSTEMS

MODEL	A	B	C
LSA30	28 ¹ / ₄	19	24 ¹ / ₂
LSA36	34 ¹ / ₄	19	24 ¹ / ₂
LSA42	40 ¹ / ₄	19	24 ¹ / ₂
LPA36	34 ¹ / ₄	19	24 ¹ / ₂



TRASH CENTERS

MODEL	A	B	C
L18TC	16	24	13
L20TR	16 ¹³ / ₁₆	24	24 ³ / ₄
LTA30	28 ¹ / ₄	19	24 ¹ / ₂

PIZZA OVEN

MODEL	A	B	C
LPZA	29	4	24 ¹ / ₂


3" CLEARANCE





SPECIFICATIONS & INSTALLATION

OUTDOOR REFRIGERATORS

MODEL	A	B	C	D
L24REF	24 1/4	33	26	32
L24BF	24 1/4	34 1/2	26	34 1/4
L24DWR	24 1/4	34 1/2	26	34 1/4
L15ICE	15 1/4	34	26	33 1/2
L15WINE	15 1/4	35 1/2	26	34 3/8



ICE MACHINE



* Cocktail Pro should have an open bottom for plumbing and drain access.
** 1" square hole must be located at rear of grill cutout. 120V GFI outlet must be located within 6' of the 1" hole.



LYNX LIMITED WARRANTY

I. LIMITED LIFETIME WARRANTY

The stainless steel grill body, brass grill burners, cooking grates, ProSear™ and ProSear2™ burners and rotisserie infrared burner are warranted to be free from defects in material and workmanship when subjected to normal domestic use and service for the lifetime of the original purchaser. This warranty excludes surface corrosion, scratches, and discoloration which may occur during normal use. This warranty is limited to the replacement of the defective parts, with the owner paying all other cost including labor, shipping and handling.

II. LIMITED FIVE-YEAR WARRANTY

The following grill parts are warranted to be free from defects in material and workmanship, when subjected to normal domestic use and service, for a period of five (5) years from the original date of purchase; warming racks, spit rods, briquette trays, manifolds and gas valves. This warranty is limited to the replacement of the defective parts, with the owner paying all other costs including labor, shipping, and handling.

III. LIMITED TWO-YEAR WARRANTY

All other grill components are warranted to be free from defects in material and workmanship, when subjected to normal domestic use and service, for a period of two (2) years from the original date of purchase. This warranty is limited to the replacement of the defective parts, with the owner paying all other costs including labor, shipping and handling.

IV. LIMITED ONE-YEAR WARRANTY

For a period of one (1) year from the original date of purchase, Lynx will replace or repair parts found to be defective at no cost to the original purchaser. This includes the cost of shipping replacement parts and, where necessary, service labor at prevailing local rates by a Lynx authorized service person. Service will be provided during normal business hours and must be authorized in advance by Lynx.

IV. LIMITATIONS & EXCLUSIONS

- 1) This Warranty shall apply to products purchased and located in the United States and Canada. Products must be purchased in the country where service is requested.
- 2) Warranty applies only to the original purchaser and may not be transferred.
- 3) Warranty is in lieu of all other warranties expressed or implied and all other obligations or liabilities related to the sale or use of its grill products.
- 4) Warranty shall not apply and Lynx is not responsible for damage resulting from misuse, abuse, alteration of or tampering with the

appliance, accident, hostile environment, flare-up fires, improper installation, or installation not in accordance with the instructions contained in this manual, or the local codes.

- 5) Lynx shall not be liable for incidental, consequential, special or contingent damages resulting from its breach of this written warranty or any implied warranty.
- 6) Some states do not allow limitations on how long an implied warranty lasts, or the exclusions of or limitations on consequential damages. This warranty gives you specific legal rights and you may have other rights which vary from state to state.
- 7) No one has the authority to add to or vary Lynx's warranty, or to create for Lynx any other obligation or liability in connection with the sale or use of its products.
- 8) Limited to the replacement of defective parts with the owner paying all other costs including labor.

V. WHAT IS NOT COVERED: LYNX SHALL NOT BE RESPONSIBLE FOR AND SHALL NOT PAY FOR THE FOLLOWING

- 1) Installation or start-up, damages or problems caused by improper installation or use;
- 2) Service by an unauthorized service provider;
- 3) Damage or repair due to service by an unauthorized service provider or use of unauthorized parts;
- 4) Warranty does not apply to products installed in any commercial or non-residential application. Examples of excluded applications include, but are not limited to day care centers, schools, bed and breakfast centers, churches, private clubs, fire stations, club houses, common areas in multi-family dwellings, restaurants, hotels, nursing homes, food service locations and institutional food service locations.
- 5) To correct normal adjustments or settings, due to improper installation, commissioning or local gas supply properties.
- 6) Shipping and handling costs, export duties, installation, removal, or re-installation cost.
- 7) Display models are sold "as is". If you have purchased a display model, please be advised that it is sold "as is" and that it is subject to the following warranty exclusions: any exterior or cosmetic damage is nonwarrantable; any missing components will be replaced at consumers expense; major handling damage to manifold, valve and ignition system will be serviced at consumer's expense; all other warranty's (standard warranty) will remain in effect.
- 8) The cost of a service call to diagnose trouble.

HOW TO OBTAIN SERVICE FROM LYNX

Before calling for service, please make sure you have the following information:

- **Model Number**
- **Date of Purchase**
- **Proof of Purchase by the original owner**
- **Serial Number**

Serial number can be located on the rating plate, which is located either on the underside of the drip tray, on the heat shield behind the front panel.

For warranty service, contact the Lynx Customer Service Department for an authorized service agent near you at: **888.289.5969** or **service@lynxgrills.com**

Your satisfaction is of the utmost importance to us. If a problem cannot be resolved to your satisfaction, please write, fax, or email us:

Lynx Grills, Inc.
7300 Flores Street
Downey, CA 90242
Service: 888.289.5969
Tel: 888-289-5969 • Fax: 562-299-6978
www.lynxgrills.com
Contact Lynx for replacement parts.
Parts are shipped F.O.B. Downey, CA




PRODUCT REGISTRATION ONLINE

Go to the **"Product Registration"** section on www.lynxgrills.com to register your new Lynx Grill. The information you provide will not be shared with third parties or individuals without your consent.

All of the following tools can be accessed at www.lynxgrills.com under "Trade Resources."

ONLINE SPECIFICATION LIBRARY

An online specification library is available for all Lynx products. These file downloads will provide you with all of the information you will need to successfully design, plan and build Lynx outdoor kitchens and will make specifying and installing Lynx products simple.



CAD DRAWINGS

CAD Drawings are now available to download from the online Lynx Trade Resources Library.

Architects and Designers can insert these detailed, dimensionally accurate drawings into their plans.



3D RENDERINGS

3D Renderings are now available for download in the online Trade Resources Library.

Trade professionals use 3D renderings to compose complete outdoor kitchen designs for clients.

Renderings can be viewed in AutoCAD or uploaded into common design software platforms.



MOM FRIENDLY. DAD READY.™

The best outdoor kitchen products come from:
Lynx Grills, Inc.
7300 Flores Street
Downey, CA 90242

For more information, please call
1.888.289.5969 or visit www.lynxgrills.com

P/N 35015 01/01/2015 ©Lynx Grills, Inc.

